ELSEVIER

Powder Technology 103 (1999) 304

POWDER TECHNOLOGY

Author Index of Volume 103

Abbasov, T., 286
Agarwal, P.K., 230, , 274
Akiyama, T., 139
Arsenijevic, Z.Lj., 265
Arslan, C., 260
Arslan, F., 260
Audubert, F., 10
Azema, N., 37

Balboul, B.A.A., 156
Barois-Cazenave, A., 58
Basu, P., 203
Belaroui, K., 44
Benezet, J.C., 26
Benhassaine, A., 26, , 37
Benton, D.M., 220
Bergougnou, M.A., 80
Bernache-Assollant, D., 10
Bernard, L., 19
Bernard-Michel, B., 44
Biscans, B., 19
Blackburn, S., 220
Bridgwater, J., 103
Briens, C.L., 243
Burbidge, A.S., 103

Carsky, M., 175
Çelik, M.S., 260
Ceylan, K., 286
Chen, Z., 230, , 274
Cheng, L., 203
Choplin, L., 58
Cordier, F., 44
Costa, A.M.S., 110

Datye, A.K., 95
De Souza-Santos, M.L., 110
Devahastin, S., 169
Dodds, J.A., 44

Falk, V., 58
Faure, R., 65
Ferrara, G., 151
Freche, M., 19
Fritz, J.W., 230

Gamwo, I.K., 117
Gandhi, B., 80
Ganzha, V.L., 194
Garic-Grulovic, R.V., 265
Golman, B., 292
Grbavcic, Z.B., 265

He, Y., 189
Herdem, S., 286
Hlavacek, V., 182
Hull, A.S., 230
Hussein, G.A.M., 156

Jestin, P., 2
Jing, S., 297

Klujszo, L.A.C., 130
Kolenda, F., 30
Kouadri-Henni, A., 37
Kurokawa, H., 71

Lacout, J.L., 19
Levy, A., 212
Li, H., 297
Lyczkowski, R.W., 117

Marchal, P., 58
Martinuzzi, R.J., 243
Maucci, E., 243
McNeil, P.A., 220
Meloy, T.P., 151
Mouton, J.O., 65
Mujumdar, A.S., 169

Otani, M., 292
Oulhana, D., 44

Parker, D.J., 220
Pham, H.N., 95
Pons, M.N., 44
Poux, M., 65
Prakash, A., 80

Rafaelof, M., 130
Raghavan, G.S.V., 169
Rajamani, R.K., 130
Rassouly, S.M.K., 145
Rasul, M.G., 175
Reardon, J., 95
Reymond, J.P., 30
Robin, T., 10
Rudolph, V., 175

Saracevic, Z., 103
Saxena, S.C., 194
Senna, M., 71
Shinohara, K., 292
Sivashanmugam, P., 165
Soong, Y., 117
Steinmetz, D., 65
Subra, P., 2
Sundaram, S., 165

Uchiyama, T., 292

Vivier, H., 44

Wild, G., 243
Wildman, R.D., 220
Wu, W., 274

Yang, F., 182
Yang, T., 274
Yoshikawa, T., 139
Yu, A.B., 103

Zdanski, F.K., 265

Elsevier Science S.A.
PII: S0032-5910(99)00109-6

ELSEVIER

Powder Technology 103 (1999) 305–308

POWDER TECHNOLOGY

Subject Index of Volume 103

Abrading counterface
Improvement of PVC wearability by addition of additives, 182
Additives
Improvement of PVC wearability by addition of additives, 182
Admixture
A model for the calculation of minimum bubbling velocity of magnetically stabilized beds of pure and admixture particles, 194
Agglomeration
A criterion for particle agglomeration by collision, 189
Air pressure
Effects of vessel material on the air pressure distribution within vibrating particle beds, 139
Air–solid separation
Dust collection performance of a swirl air cleaner, 130
Annular circulating fluidised bed
Hydrodynamics of annular circulating fluidised bed drier, 165
Arsenic
Arsenic removal through the decrepitation of colemanite ores, 260
Attrition mill
Fine-grinding characteristics of hard materials by attrition mill, 292

Beneficiation
Arsenic removal through the decrepitation of colemanite ores, 260
Binary mixtures
The packing density of 'perfect' binary mixtures, 145
Boron minerals
Arsenic removal through the decrepitation of colemanite ores, 260
Bubble behavior
Influence of horizontal tube banks on the behavior of bubbling fluidized beds. 1. Bubble hydrodynamics, 230
Bubbling fluidized bed hydrodynamics
Numerical simulation and experimental validation of solids flows in a bubbling fluidized bed, 117

Calcination
Arsenic removal through the decrepitation of colemanite ores, 260
Calcium phosphate
Preparation of hydroxyapatite by neutralization at low temperature—influence of purity of the raw material, 19
Capacitance sensor
Measurement of the voidage in a ploughshare mixer by a capacitive sensor, 65
Circulation
Studies on the mathematical modeling of circulation rates of particles in bubbling fluidized beds, 110
Classification curves
Dust collection performance of a swirl air cleaner, 130
Co-grinding
Flowability of a mixture of two powders obtained by co-grinding, mixing and surface treatment, 37
Colemanite
Arsenic removal through the decrepitation of colemanite ores, 260
Collection efficiency
Dust collection performance of a swirl air cleaner, 130
Collision
A criterion for particle agglomeration by collision, 189
Comminution
Fine-grinding characteristics of hard materials by attrition mill, 292
Conductivity
Detection and characterization of piston flow regime in three-phase fluidized beds, 243
Critical size
The influence of particle size on the pozzolanic reactivity of quartz powder, 26
Crystallization
Powders elaboration in supercritical media: comparison with conventional routes, 2

Decomposition
Ytterbium oxide from different precursors: formation and characterization. Thermoanalytical studies, 156
Decrepitation
Arsenic removal through the decrepitation of colemanite ores, 260
Defluidization
Continuous drying and dehydration of sodium carbonate monohydrate in a fluidized bed, 274
Dehydration
Continuous drying and dehydration of sodium carbonate monohydrate in a fluidized bed, 274
Dense media process
Low dense media process: a new process for low-density solid separation, 151
Density separation of light materials
Low dense media process: a new process for low-density solid separation, 151
Differential thermal analysis (DTA)
Ytterbium oxide from different precursors: formation and characterization. Thermoanalytical studies, 156
Dilute phase flow regime
Hydrodynamics of annular circulating fluidised bed drier, 165
Drag coefficients
A theoretical model for estimation of drag force in the flow of non-newtonian fluids around spherical solid particles, 286
Drying
Continuous drying and dehydration of sodium carbonate monohydrate in a fluidized bed, 274

Experimental validation solids flows
Numerical simulation and experimental validation of solids flows in a bubbling fluidized bed, 117
Extensional strain rate
Investigation of paste flow using positron emission particle tracking, 220

Elsevier Science S.A.
PII: S0032-5910(99)00110-2

Extrusion
Liquid maldistribution in particulate paste extrusion, 103
Investigation of paste flow using positron emission particle tracking, 220

Fictitious column diameter
Hydrodynamic characteristics of a rotating jet annular spouted bed, 169
Fine particles
Segregation potential in binary gas fluidized beds, 175
Fine powder
Experimental study on the flooding of fine powders, 297
Floodability
Flowability of a mixture of two powders obtained by co-grinding, mixing and surface treatment, 37
Flooding
Experimental study on the flooding of fine powders, 297
Flooding number
Experimental study on the flooding of fine powders, 297
Flowability
Flowability of a mixture of two powders obtained by co-grinding, mixing and surface treatment, 37
Flow regimes
Hydrodynamics of annular circulating fluidised bed drier, 165
Fluidized-bed
Studies on the mathematical modeling of circulation rates of particles in bubbling fluidized beds, 110
Fluidized bed
Influence of horizontal tube banks on the behavior of bubbling fluidized beds. 1. Bubble hydrodynamics, 230
Continuous drying and dehydration of sodium carbonate monohydrate in a fluidized bed, 274
Fluidized beds
A criterion for particle agglomeration by collision, 189

Gas chromatography-mass spectrometry (GC-MS)
Ytterbium oxide from different precursors: formation and characterization. Thermoanalytical studies, 156
Gas fluidized bed
Segregation potential in binary gas fluidized beds, 175
Gas–solids flow
Numerical simulation and experimental validation of solids flows in a bubbling fluidized bed, 117
Geothite
Self-stabilization of green rust (II) as a precursor of acicular goethite particles with highest possible aspect ratio, 71
Grain growth
Influence of grinding method on $Pb_3(VO_4)_{1.6}(PO_4)_{0.4}$ sinterability, 10
Granular materials
Shock waves interaction with granular materials, 212
Granular temperature
Experimental study of powder rheological behaviour, 58
Granulometric distribution
The influence of particle size on the pozzolanic reactivity of quartz powder, 26
Green rust (II)
Self-stabilization of green rust (II) as a precursor of acicular goethite particles with highest possible aspect ratio, 71
Grinding
Influence of grinding method on $Pb_3(VO_4)_{1.6}(PO_4)_{0.4}$ sinterability, 10
Grinding kinetics
Fine-grinding characteristics of hard materials by attrition mill, 292

Hard fine materials
Fine-grinding characteristics of hard materials by attrition mill, 292
Heterogenous catalysts
Measuring the strength of slurry phase heterogeneous catalysts, 95
Horizontal tubes
Influence of horizontal tube banks on the behavior of bubbling fluidized beds. 1. Bubble hydrodynamics, 230
Hydrodynamics
Hydrodynamic behavior of slurry bubble column at high solids concentrations, 80
Hydrodynamics of annular circulating fluidised bed drier, 165

Image analysis
Particle morphology: from visualisation to measurement, 44
Intermittent flow regimes
Detection and characterization of piston flow regime in three-phase fluidized beds, 243
Intermittent spouting
Hydrodynamic characteristics of a rotating jet annular spouted bed, 169

Lead phosphovanadate
Influence of grinding method on $Pb_3(VO_4)_{1.6}(PO_4)_{0.4}$ sinterability, 10
Loop seal
Effect of pressure on loop seal operation for a pressurized circulating fluidized bed, 203
Low-density media
Low dense media process: a new process for low-density solid separation, 151
Low-density separation
Low dense media process: a new process for low-density solid separation, 151

Magnetically stabilized bed
A model for the calculation of minimum bubbling velocity of magnetically stabilized beds of pure and admixture particles, 194
Mass flux of solid
Hydrodynamics of annular circulating fluidised bed drier, 165
Mass titration
Estimation of the point of zero charge of simple and mixed oxides by mass titration, 30
Method
Determination of non-spherical particle terminal velocity using particulate expansion data, 265
Minimum bubbling velocity
A model for the calculation of minimum bubbling velocity of magnetically stabilized beds of pure and admixture particles, 194
Mixing
Segregation potential in binary gas fluidized beds, 175
Modeling
Studies on the mathematical modeling of circulation rates of particles in bubbling fluidized beds, 110
Moisture content
Liquid maldistribution in particulate paste extrusion, 103
Morphology
Preparation of hydroxyapatite by neutralization at low temperature—influence of purity of the raw material, 19
Particle morphology: from visualisation to measurement, 44

Non-Newtonian liquids
A theoretical model for estimation of drag force in the flow of non-newtonian fluids around spherical solid particles, 286
Non-spherical particles
Determination of non-spherical particle terminal velocity using particulate expansion data, 265
Numerical simulation
Numerical simulation and experimental validation of solids flows in a bubbling fluidized bed, 117

Oxidation
Self-stabilization of green rust (II) as a precursor of acicular goethite particles with highest possible aspect ratio, 71
Oxide
Estimation of the point of zero charge of simple and mixed oxides by mass titration, 30

Packing density
The packing density of 'perfect' binary mixtures, 145
Particle beds
Effects of vessel material on the air pressure distribution within vibrating particle beds, 139
Particle morphology
Self-stabilization of green rust (II) as a precursor of acicular goethite particles with highest possible aspect ratio, 71
Particles
Studies on the mathematical modeling of circulation rates of particles in bubbling fluidized beds, 110
Particle size
Flowability of a mixture of two powders obtained by co-grinding, mixing and surface treatment, 37
Paste
Liquid maldistribution in particulate paste extrusion, 103
Phase holdups
Hydrodynamic behavior of slurry bubble column at high solids concentrations, 80
Photonic microscopy
Particle morphology: from visualisation to measurement, 44
Plastic recycling
Low dense media process: a new process for low-density solid separation, 151
Ploughshare mixer
Measurement of the voidage in a ploughshare mixer by a capacitive sensor, 65
Point of zero charge (pzc)
Estimation of the point of zero charge of simple and mixed oxides by mass titration, 30
Positron emission particle tracking
Investigation of paste flow using positron emission particle tracking, 220
Powder mixing
Measurement of the voidage in a ploughshare mixer by a capacitive sensor, 65
Powders
Experimental study of powder rheological behaviour, 58
Pozzolanic reactivity
The influence of particle size on the pozzolanic reactivity of quartz powder, 26
Precipitation
Preparation of hydroxyapatite by neutralization at low temperature—influence of purity of the raw material, 19
Pressure drop
Hydrodynamics of annular circulating fluidised bed drier, 165
Pressurized circulating fluidized bed
Effect of pressure on loop seal operation for a pressurized circulating fluidized bed, 203
PVC
Improvement of PVC wearability by addition of additives, 182

Quartz
The influence of particle size on the pozzolanic reactivity of quartz powder, 26

RESS
Powders elaboration in supercritical media: comparison with conventional routes, 2
Rheology
Experimental study of powder rheological behaviour, 58

SAS
Powders elaboration in supercritical media: comparison with conventional routes, 2
Scanning electron microscopy
Particle morphology: from visualisation to measurement, 44
Scanning electron microscopy (SEM)
Ytterbium oxide from different precursors: formation and characterization. Thermoanalytical studies, 156
Segregation
Segregation potential in binary gas fluidized beds, 175
Segregation potential
Segregation potential in binary gas fluidized beds, 175
Self-stabilization
Self-stabilization of green rust (II) as a precursor of acicular goethite particles with highest possible aspect ratio, 71
Separation of low-density plastics
Low dense media process: a new process for low-density solid separation, 151
Shape descriptor
Particle morphology: from visualisation to measurement, 44
Shear strain rate
Investigation of paste flow using positron emission particle tracking, 220
Shock wave
Shock waves interaction with granular materials, 212
Silicon carbide
Improvement of PVC wearability by addition of additives, 182
Simulation
Studies on the mathematical modeling of circulation rates of particles in bubbling fluidized beds, 110
Sintering
Influence of grinding method on $Pb_3(VO_4)_{1.6}(PO_4)_{0.4}$ sinterability, 10
Slugging dense flow regime
Hydrodynamics of annular circulating fluidised bed drier, 165
Slurry bubble column
Hydrodynamic behavior of slurry bubble column at high solids concentrations, 80
Slurry phase
Measuring the strength of slurry phase heterogeneous catalysts, 95
Soda ash
Continuous drying and dehydration of sodium carbonate monohydrate in a fluidized bed, 274
Solids elaboration
Powders elaboration in supercritical media: comparison with conventional routes, 2
Solids flow through loop seal
Effect of pressure on loop seal operation for a pressurized circulating fluidized bed, 203
Spheres
The packing density of 'perfect' binary mixtures, 145
Spouting regimes
Hydrodynamic characteristics of a rotating jet annular spouted bed, 169
Strength
Measuring the strength of slurry phase heterogeneous catalysts, 95
Supercritical fluid
Powders elaboration in supercritical media: comparison with conventional routes, 2
Surface charge
Estimation of the point of zero charge of simple and mixed oxides by mass titration, 30
Surface treatment
Flowability of a mixture of two powders obtained by co-grinding, mixing and surface treatment, 37

Swirler separator
Dust collection performance of a swirl air cleaner, 130

Terminal velocity
Determination of non-spherical particle terminal velocity using particulate expansion data, 265
Thermogravimetry (TG)
Ytterbium oxide from different precursors: formation and characterization. Thermoanalytical studies, 156
Three-phase fluidized beds
Detection and characterization of piston flow regime in three-phase fluidized beds, 243
Three-phase reactor
Hydrodynamic behavior of slurry bubble column at high solids concentrations, 80

Vessel material
Effects of vessel material on the air pressure distribution within vibrating particle beds, 139
Vibration
Experimental study of powder rheological behaviour, 58

V-statistic analysis
Detection and characterization of piston flow regime in three-phase fluidized beds, 243

Wave interaction
Shock waves interaction with granular materials, 212
Wave propagation
Shock waves interaction with granular materials, 212
Wear
Improvement of PVC wearability by addition of additives, 182

X-ray diffraction (XRD)
Ytterbium oxide from different precursors: formation and characterization. Thermoanalytical studies, 156

Yb-acetate and oxalate
Ytterbium oxide from different precursors: formation and characterization. Thermoanalytical studies, 156
Yb-oxides
Ytterbium oxide from different precursors: formation and characterization. Thermoanalytical studies, 156